

Anex C-DIN33870-Mono/Color (附录C-DIN33870-单色/彩色)

| | | | | | | |
|--|------|------------------------------|------------------------|-------------------|-------------------------|--------------|
| 制造商 (商标) Manufacturer (trade mark) | | 格之格 (G&G) | 型号 Model | NT-PH380B BK | | |
| 测试参照标准 Test reference standard | | ISO/IEC19798 ISO/IEC19752 | 碳粉颜色 Toner color(s) | Black | 预期页产量 Intended yield | 2400 |
| 打印机型号 Printer Model for Consumption | | HP Color LaserJet M476 | 测试地点 test the venue | Zhuhai,China | 测试环境 Test condition | 常温 Normal |
| 测试温度 Test | 23°C | 测试湿度 Test humidity | 55%RH | 测试时间 Test time | 2020/4/10 | |

1.从现有的测试报告中获取数值，签名者负责确保数值的合理正确性。

The value is obtained from the existing test report, and the signer is responsible for ensuring that the value is reasonable and correct.

2.环境信息为产品检查所在地点。The environmental information is the location of the product inspection.

| 试验样品 Test sample | 型号 Model | 批次/序列号 NO. | 结果 (Yes/No) | 备注 Remark |
|---------------------|--------------|---------------|-------------|--|
| 1 | NT-PH380B BK | Sample 1 | Yes | 对于A1, 我们使用MAX; 对于A2, 使用 MEDIAN; 对于A3, 使用左侧列表的MIN值。 We use for A1 the MAX, for A2 the MEDIAN and for A3 the MIN value of the list at left. |
| 2 | NT-PH380B BK | Sample 2 | Yes | |
| 3 | NT-PH380B BK | Sample 3 | Yes | |
| 4 | NT-PH380B BK | Sample 4 | Yes | |
| 5 | NT-PH380B BK | Sample 5 | Yes | |
| 6 | NT-PH380B BK | Sample 6 | Yes | |
| 7 | NT-PH380B BK | Sample 7 | Yes | |
| 8 | NT-PH380B BK | Sample 8 | Yes | |
| 9 | NT-PH380B BK | Sample 9 | Yes | |

| 比较样品 (OEM) Comparative Sample (OEM) | 型号 Model | 批次/序列号 NO. | 结果 (Yes/No) | 备注 Remark |
|--|-------------|-----------------|-------------|--|
| 1 | CF380A | DEM Sample/Spec | Yes | 来自OEM的OEM数据拥有ISO19752或ISO19798 合格声明。 OEM data taken from OEMs own ISO19752 or ISO19798 declarations of yield. |
| 2 | CF380A | DEM Sample/Spec | Yes | |
| 3 | CF380A | DEM Sample/Spec | Yes | |

| | |
|---|----------------------------------|
| 与健康相关的属性的行政检查 (5.2) Administrative checking of health related attributes (5.2) | 如果不是: 请说明 If not: Description |
|---|----------------------------------|

| | |
|--|-----|
| 是否有使用过的墨粉的EG安全数据表? Is there an EG- Safety Data Sheet of the used toner? | Yes |
|--|-----|

| | |
|--|----------------|
| 如果在EG安全数据表中没有有关AMES测试的信息, 是否有关于用过的墨粉的AMES测试的测试报告? If there are no information of the AMES test in the EG Safety Data Sheet Is there a test report about the AMES test of the used toner? | Not applicable |
|--|----------------|

| | |
|--|----------------------------------|
| 墨粉模块对打印机的影响 (5.3) Checking the influence of the toner module on the printer (5.3) | 如果不是: 请说明 If not: Description |
|--|----------------------------------|

| | |
|--|-----|
| 碳粉泄漏量是否少于原件? Is the toner leaking less than the original? | Yes |
|--|-----|

| | |
|---|-----|
| 打印机和墨粉模块之间的相互作用是否可以接受? Is the interaction between printer and toner module acceptable? | Yes |
|---|-----|

| | |
|--|----------------------------------|
| 检查初始化 (5.4) Checking the initialization (5.4) | 如果不是: 请说明 If not: Description |
|--|----------------------------------|

| | |
|---|-----|
| 插入墨粉模块后, 打印输出是否可以接受? Is the print out acceptable right after the toner module has been inserted? | Yes |
|---|-----|

| | | | | | |
|--|---|---|---|------------------------------|--------------|
| 检查页产量 (5.5) Checking the yield number (5.5) | 1 | 2 | 3 | 平均 (A或V) Average (A or V) | 备注 Remark |
|--|---|---|---|------------------------------|--------------|

| | | | | | |
|---|------|------|------|------|--|
| 产量A: $(A1 + A2 + A3) / 3 = \bar{A}$ Yield A: $(A1+A2+A3)/3= \bar{A}$ | 2593 | 2460 | 2409 | 2487 | 合格率A: ISO / IEC 19752以后的测试结果 \bar{A} 。 |
|---|------|------|------|------|--|

| | | | | | |
|--|------|------|------|------|---|
| 产量V: $(V1+V2+V3)/3=V$ Yield V: $(V1+V2+V3)/3=V$ | 2400 | 2400 | 2400 | 2400 | Yield A: Result of test after ISO/IEC 19752 \bar{A} . Yield V: ISO / IEC 19752 V之后的测试结果。 |
|--|------|------|------|------|---|

结果: EZ= \bar{A}/V Result: EZ= \bar{A}/V 1.04

| | |
|--|------------------|
| 参考的测试报告: Reference to the test protocol: | 测试日期: Test Date: |
|--|------------------|

| | | | | |
|---|----------|--|----------|--|
| 是否达到了预期产量 (EZ) ? (是/否/ 不适用) Is the expected yield (EZ) reached? (Yes/No/Not Applicable) | 是 Yes | 是否达到预期的页产量? (是/ 否/不适用) Is the expected page yield reached? (Yes/No/Not Applicable) | 是 Yes | Yield V: Result of test after ISO/IEC 19752 V. |
|---|----------|--|----------|--|

| 检查黑白打印/彩色还原 (5.6.2) Checking the black print/Color reproduction (5.6.2) | | | | | |
|---|-----------------------|---|-----------------------|---|-----------------------|
| 2个区域F测试打印A1的平均值 Average value of the 2 areas F test print A1 | 21.6 | 2个区域F测试打印A2的平均值 Average value of the 2 areas F test print A2 | 21.6 | 2个区域F测试打印A3的平均值 Average value of the 2 areas F test print A3 | 25.1 |
| 比较打印V1的两个区域F的平均值 Average value of the 2 areas F comparing print V1 | 20.3 | 比较打印V2的两个区域F的平均值 Average value of the 2 areas F comparing print V2 | 23.4 | 比较打印V3的两个区域F的平均值 Average value of the 2 areas F comparing print V3 | 24 |
| 单色差不大于 $\Delta \leq 5$ Difference is not higher than $\Delta \leq 5$ for Monochrom | 不适用 Not Applicable | 单色差不大于 $\Delta \leq 5$ Difference is not higher than $\Delta \leq 5$ for Monochrom | 不适用 Not Applicable | 单色差不大于 $\Delta \leq 5$ Difference is not higher than $\Delta \leq 5$ for Monochrom | 不适用 Not Applicable |
| 色差 $\Delta E \leq 18$ Color difference $\Delta E \leq 18$ for Color | 1.3 | 色差 $\Delta E \leq 18$ Color difference $\Delta E \leq 18$ for Color | 1.8 | 色差 $\Delta E \leq 18$ Color difference $\Delta E \leq 18$ for Color | 1.1 |
| 褪色检查 Checking the fade (5.6.3) | | | | | |
| 测试打印A1 Test print A1 | 1 | 6 | A | F | |
| 打印50页后 after 50 pages | 81.2 | 53.4 | 34.3 | 22.1 | |
| 最大偏差 The biggest deviation | 3.4 | 5.5 | 6.5 | 4.9 | |
| 比较打印V1 Comparing print V1 | 1 | 6 | A | F | |
| 打印50页后 after 50 pages | 82.5 | 55.4 | 37.5 | 22.5 | |
| 最大偏差 The biggest deviation | 2.3 | 2.8 | 2.3 | 2.7 | |
| 结果确定差 $\Delta L \leq 8$ Result determination: Difference | 1.1 | 2.7 | 4.2 | 2.2 | |
| 是否在允许差值范围 Whether it is within the allowed range | Yes | Yes | Yes | Yes | |
| 测试打印A2 Test print A2 | 1 | 6 | A | F | |
| 打印50页后 after 50 pages | 88.6 | 55.9 | 34.7 | 22.4 | |
| 最大偏差 The biggest deviation | 5 | 3.9 | 5.9 | 4.4 | |
| 比较打印V2 Comparing print V2 | 1 | 6 | A | F | |
| 打印50页后 after 50 pages | 87.7 | 55.7 | 37.4 | 23.7 | |
| 最大偏差 The biggest deviation | 3.3 | 2.4 | 4.3 | 3 | |
| 结果确定差 $\Delta L \leq 8$ Result determination: Difference | 1.7 | 1.5 | 1.6 | 1.4 | |
| 是否在允许差值范围 Whether it is within the allowed range | Yes | Yes | Yes | Yes | |
| 测试打印A3 Test print A3 | 1 | 6 | A | F | |
| 打印50页后 after 50 pages | 84.7 | 58.4 | 36.5 | 22.4 | |
| 最大偏差 The biggest deviation | 6.3 | 4.9 | 4.2 | 5.8 | |
| 比较打印V3 Comparing print V3 | 1 | 6 | A | F | |
| 打印50页后 after 50 pages | 87.3 | 55.6 | 34.9 | 22.5 | |
| 最大偏差 The biggest deviation | 2.8 | 4.1 | 3.7 | 3.8 | |
| 结果确定差 $\Delta L \leq 8$ Result determination: Difference | 3.5 | 0.8 | 0.5 | 2 | |
| 是否在允许差值范围 Whether it is within the allowed range | Yes | Yes | Yes | Yes | |
| 检查墨粉附着力 Checking toner adhesion | 测试过程: 视觉 (胶带法) | | | | |
| 抵抗性是否在可接受的参数之间? 如果不是: 请说明。 Is the resistance in between the acceptable parameters? If not: Describe deviation | | | | | Yes |
| 检查灰色页面/颜色均匀性 (5.6.5) Checking the grey page/color uniformity (5.6.5) | | | | | |
| 颜色差异是否在可接受的参数之间 (模式B2-B5) $\Delta E \leq 8$? 如果不是: 请描述偏差。Are the color differences in between the acceptable parameters (pattern B2-B5) $\Delta E \leq 8$? If not: Describe deviation | | | | | Yes |
| 检查背景 (5.6.6) Checking the background (5.6.6) | | | | | |

| | | | | | |
|--|---------------|-----------------------------|------------------|-------------------------|-------------------|
| 背景污迹是否在可接受的参数之间 (模式B1-B5) ? 如果不是: 请描述偏差。Is the background smudge between the acceptable parameters (pattern B1-B5)? If not: Describe deviation | Yes | | | | |
| 检查重影 (5.6.7) Checking the ghosting (5.6.7) | | | | | |
| 是否在可接受的参数 (模式B2-B5) 之间重复了后矩形? 如果不是: 请描述偏差。Is the repeating of the back rectangles in between the acceptable parameters (pattern B2-B5)? If not: Describe deviation | Yes | | | | |
| 检查墨粉的相容性 (5.6.8) Checking toner miscibility (5.6.8) | | | | | |
| 是否提供了墨粉混溶性? 如果不是: 请描述偏差。Is the toner miscibility given?If not: Describe devi | N/A | | | | |
| 总体结果OVERALL RESULT | Passed | 完成时间 Finish-time | 2020/4/13 | 测试者 reporter | Yixin.Shen |